MANUAL FOR ASSESSMENT OF CABLE TELEVISION PROPERTY 2018

CABLE TELEVISION INTRODUCTION

The term "community antenna system" (CATV system) means any facility which receives, directly or indirectly, over the air signals for television programs. The receiving of signals is generally provided by structural towers on which are mounted satellite and microwave dishes.

The system then converts, or otherwise modifies, the signals transmitting programs broadcast by one or more television stations. This process is accomplished by a "headend" where the converted signals are sent over main trunk cables. The "headend" can contain electronic equipment, such as: converters, scramblers, decoders, etc. which can then be used to connect each subscriber to their individual channel and program request. The "headend" electronics are typically located in an equipment building located at the base of the structural tower. The capacity of the "headend" would be indicated by the channel capacity.

The trunk cable signals are then distributed to the individual subscribers by house drops (or drops). These cables can be coaxial or fiber. This modified signal is then distributed by wire or cable to subscribing customers. The trunk cable can contain electronic equipment, such as: amplifiers, splitters, junctions, filters, etc. Technological advancements are now developed to provide more signals to be transmitted over air waves. This advancement allows several communities (or systems) to share one "headend" and still provide reliable television channel access. This "sharing" of the "headend" can be accomplished by interconnect cable. The assessor/appraiser should use caution not to value the "headend" twice and only value the "headend" in the jurisdiction where it is physically located. The "sharing" jurisdictions would value the interconnect cable rather than the "headend".

This valuation guide is a supplement to the Iowa Real Property Appraisal Manual and is subject to revision, update, and clarification as deemed necessary by the Iowa Department of Revenue.

The procedures contained in this guide to the assessment of cable television systems are for obtaining uniform assessments of the rights and interests of this commercial class of property in lowa. The accuracy of the assessment and valuation procedures in this guide is dependent upon accurate reporting by the cablevision companies. The forms provided have been developed for the cablevision companies to furnish the data needed to accomplish fair and uniform assessments. Assessors, in accordance with Section 441.19, Code of lowa, may require property owners to furnish supplemental data in order to determine the value of their property.

This is only a guide and the assessor/appraiser is reminded to apply accepted appraisal procedures for assessment valuation of property whenever possible. There are instances where enforceable court settlements and/or court decisions may direct the assessor/appraiser to supersede the typical approaches to value. Currently these decisions dictate that the cost approach to value shall be implemented in the valuation of cable television property in lowa.

In an effort to keep pace with the fluctuations of increasing and decreasing costs, the costs in this manual will be indexed annually. Such indexed costs will be provided to the assessors by the Iowa Department of Revenue.

The land and buildings are to be assessed as other similar type commercial buildings in the assessor's jurisdiction and by referencing the Iowa Real Property Appraisal Manual. Land and buildings should be assessed on situs and not combined with other cable television parcels.

CABLE TELEVISION SYSTEMS

Each cable television system includes different combinations of buildings, structures, and components. The percentage that each of these items contributes to the whole can vary the ending value of even similar appearing systems. The base costs in this section are developed in such a way as to allow for annual indexing to maintain the proper cost levels.

In some instances cable television systems may extend to and through several communities and/or assessing jurisdictions. It is recommended that the towers, satellite and microwave dishes, equipment buildings, fencing, offices, master headend, and auxiliary buildings be valued on a situs basis (on the parcel where the structure is physically located). The remaining items such as miles of cable, components, house drops, optic transmission network hubs (OTN), interconnect cable, etc. should be valued as a whole and the whole value allocated to each parcel or taxing district. That allocation is to be determined by dividing the particular parcel's customer base by the total system's customer base.

Cable Distribution Plant

| | Coaxial | Fiber |
|---------------------------------|---------------|---------------|
| Aerial Plant Cable | \$ 5,400/mile | \$ 8,500/mile |
| Underground Plant Cable | 10,800/mile | 16,800/mile |
| Interconnect Cable | 16,800/mile | 16,800/mile |
| Optic Transmission Network Hubs | 57,500/each | 57,500/each |
| Subscriber Drops | 90.00/each | 90.00/each |
| Master Headend | 4,000/channel | 4,000/channel |
| Aerial Plant Components | 9,300/mile | 10,400/mile |
| Underground Plant Components | 18,600/mile | 20,700/mile |
| Interconnect Components | 3,500/mile | 3,500/mile |

Other Structures

There are several structures which are part of cable television systems that also fulfill similar functions in other commercial enterprises. Some of these structures would be towers, satellite dishes, equipment buildings, fencing, paving, offices, warehouses, etc. For uniformity purposes, the appropriate sections in the lowa Real Property Appraisal Manual should be referenced in valuing these items.

| Offices (Frame, Metal, Etc.) | See pages 6-38 & 6-121 of the Iowa Real Property Appraisal Manual |
|---|--|
| Warehouses (Frame, Metal, Etc.) | See pages 6-102 & 6-118 of the Iowa Real Property Appraisal Manual |
| Towers, Satellite and Microwave Dishes, and Equipment Buildings | See page 6-131 of the Iowa Real Property Appraisal Manual |
| Paving and Fencing | See pages 4-37 & 4-39 of the Iowa Real Property Appraisal Manual |

Depreciation Guide

The following is the recommended depreciation to be applied to cable television systems.

| Item | Suggested Depreciation | Not to Exceed |
|--|--------------------------------|---------------|
| Cable Distribution Plant | 5%/year | 80% |
| Cable Drops | Use schedule on reporting form | 90% |
| Optic Transmission Networks, Master Headend and Components | 10%/year | 80% |

CABLE TELEVISION SYSTEMS (Continued)

TERMS

<u>Cable Distribution Plant</u>: Represents coaxial and fiber trunk/feeder cabling which provides distribution of programming from the headend to the street locations. This is reported as miles of cable and divided between aerial and underground, and coaxial and fiber.

<u>Interconnect</u>: Represents the cable utilized to connect two independent systems headend facilities in order to provide the ability to operate from one headend facility versus two headend facilities. This is reported as number of miles of cable and divided into coaxial and fiber.

Optic Transmission Network Hub (OTN): Represents a facility which delivers certain local station programming to specific markets and maintains a limited amount of headend equipment. This is reported as the number of OTN hubs on the system.

<u>House Drops</u>: Represents the transmission line cabling from the pole or underground connect to the customers' home or business.

Master Headend: Represents the facility which maintains the headend equipment.

<u>Headend Equipment (Channel Capacity)</u>: Represents electronic equipment, which allows the facility to accept transmission of signals. These signals are then scrambled, decoded and converted. This is reported as number of channel capacity regardless of the number of channels in use.

It is not unusual that one headend would service several counties. In these situations the headend is to be valued in the assessing jurisdiction in which it resides. For the valuation procedures for these jurisdictions accessing a remote headend facility, which is located in another jurisdiction, see interconnect description above.

<u>Components</u>: Represents all items other than cable or house drops including but not limited to amplifiers, filters, splitters, junctions, converters, etc. This is to be reported as number of miles of components.

<u>System Replacement</u>: Represents the replacement of cable and components.

System Rebuild: Represents the replacement of components only.

<u>Capital Expenditures</u>: Expenses that add to the value or useful life of property or adapt property to a new or different use.